Pyramids

[Year 2016-2017]

Surnames and first names of students, grades: Cioran Marina, 8th grade Hanus Ioana, 8th grade Iftene Tudor, 8th grade Stoica Tedy, 8th grade

School: National College "Costache Negruzzi" Iasi

Teacher: Irina Capraru

Researcher: Iulian Stoleriu, Faculty of Mathematics, "Al. I. Cuza" University of Iasi, Romania



[Presentation of the research topic]

The tower represented in this image is built of matching cubes, of side 1, stacked one over the other and glued to the corner of a wall. Some of these cubes are not visible from this position/perspective.

- a) How many cubes will a tower of height of 30 have?
- b) A number n ≥ 3 of cubes, placed side by side covers perfectly a square. For what values of n can we rearrange the cubes so that we can build a pyramid as the one in the image, without remaining any unused cubes? For every found value of n, what height has the built pyramid?
- c) Build a regular triangular pyramid by overlapping some spheres of diameter 1 (instead of cubes). What is the height of such a pyramid formed with 1330 balls?
- d) What is the volume of the minimal tetrahedron in which the pyramid found at point c) can be inscribed?



[Brief presentation of the conjectures and results obtained]

Part a)

How many cubes will a tower of height of 30 have?

Solution 1

In the first part, we found a rule of how is the figure made.

- > In the first layer, seen from the top, we see a single cube.
- > In the second layer we see (1 + 2 = 3) cubes.
- > In the third layer we see (1 + 2 + 3 = 6) cubes.



> So we find a rule of the number of the cubes that are in a layer.

We found after that a rule of the number of the cubes that are in a layer. This equation is

$$n = 1 + 2 + 3 + \dots + k$$
$$n = \frac{(1+k) \cdot k}{2}$$

where k is the number of the layer and n is the number of cubes in that layer.

By using that rule, we find the final number of cubes for a pyramid of height 30, that is 4960.

Solution 2

We denote by C_n the number of cubes that are in a tower having $n \ge 1$ levels. We can easily observe that:

 $C_1 = 1$, $C_2 = 4$, $C_3 = 10$, $C_4 = 20$, $C_5 = 35$, $C_6 = 56$. We are looking for a recurrent relation involving C_n . Firstly, let us denote by $d_n = C_{n+1} - C_n$, that is the difference of the number of cubes between consecutive levels. We observe that

 $d_n = d_{n-1} + n + 1$, for all $n \ge 2$.

Coming back to C_n , we find the recurrence

 $C_{n+1} - C_n = C_n - C_{n-1} + n + 1$, for all $n \ge 2$,

which is equivalent to

$$C_{n+1} = 2C_n - C_{n-1} + n + 1$$
, for all $n \ge 2$,

MATh.en.JEANS 2016-2017 [National College "Costache Negruzzi", Iasi]



By giving successively values to *n*, we find that C_{30} = 4960.

Solution 3

Below, we write the differences, the difference of differences and so on, for the consecutive values of C_n .

We observe that after three iterations we arrive at a constant sequence. Therefore, the general term of the sequence will be of the form: $C_n = a n^3 + b n^2 + cn + d$. By writing the first four terms of the sequence, we have:

$$C_{1} = 1 = a + b + c + d$$

$$C_{2} = 4 = 8a + 4b + 2c + d$$

$$C_{3} = 10 = 27a + 9b + 3c + d$$

$$C_{4} = 20 = 64a + 16b + 4c + d$$

By solving the system for *a*, *b*, *c*, *d*, we get:

$$a = \frac{1}{6}; b = \frac{1}{2}; c = \frac{1}{3}; d = 0.$$

And thus,

$$C_n = \frac{1}{6}n(n + 1)(n + 2) = \binom{n+2}{3}, (1)$$

with $C_{30} = 4960$.

Part b)

A number $n \ge 3$ of cubes, placed side by side covers perfectly a square. For what values of n can we rearrange the cubes so that we can build a pyramid as the one in the image, without remaining any unused cubes? For every found value of n, what height has the built pyramid?

We found a rule for the number of cubes used to build a pyramid of height h. (2)

n cubes should be put in a square, so *n* should be a perfect square.

We observed that the formula that we made is the formula of the tetrahedral numbers. So n should be a tetrahedral number.

But the only tetrahedral numbers that are making square numbers are 1,4 and 48.

If the height is 1, the *n* is 1 and *l* is 1, where *l* is the side of the square covered by that *n* cubes.

If the height is 2, the *n* is 4 and *l* is 2.

If the height is 48, the *n* is 19600 and *l* is 140.

Part c)

Build a regular triangular pyramid by overlapping some spheres of diameter 1 (instead of cubes). What is the height of such a pyramid formed with 1330 balls?



Using the rule that we found at part a), we discovered that the required pyramid has 19 layers. Indeed, by solving in N the equation

$$\frac{1}{6}n(n + 1)(n + 2) = 1330,$$

We find that n = 19.

As discussed before, the number of balls on the bottom layer is $\frac{n(n+1)}{2}$ Solving in **N** the equation

$$\frac{n(n+1)}{2} = 190,$$

We obtain n = 19. Therefore, the base length of a pyramid having 190 balls is 19.

The height of the pyramid formed by stacking spheres is a function of n and d (the diameter of each sphere). We need to find the height of the pyramid in terms of n and d.

Firstly, we consider the case of a tetrahedron made from four balls: three balls on the bottom and one ball at the top. The centres of these spheres form a tetrahedron with an edge length of *d* and a height of $d\sqrt{\frac{2}{3}}$. The total height of stack of spheres is

$$d + d\sqrt{\frac{2}{3}}.$$



We now add a third layer to the bottom of the pyramid (add six balls) and obtain a total of 10 balls, We then consider the tetrahedron formed by the centers of the spheres at the corners of the pyramid. This tetrahedron has $\sqrt{2}$

an edge length of 2*d* and a height of $2d\sqrt{\frac{2}{3}}$. The total height of the stack is

$$d + 2d\sqrt{\frac{2}{3}}$$



In general, the total height of a pyramid with n levels is

$$d + (n-1)d\sqrt{\frac{2}{3}}$$

For n = 19 and d = 1 cm, we get that the height of a pyramid made of 1330 similar balls is

$$h \cong 15.7 \ cm.$$

Part d)

What is the volume of the minimal tetrahedron in which the pyramid found at point c) can be inscribed? What fraction of the space does the ball pyramid occupies inside the tetrahedron?



The base of the 2 level pyramid can be inscribed in an equilateral triangle with a side length of

$$d + d\sqrt{3}$$

In general, the base of the n level pyramid can be inscribed in an equilateral triangle with a side length of

$$d(n-1) + d\sqrt{3}.$$

For n = 19 and d = 1cm, we obtain that the side length of a regular pyramid is $l = 18 + \sqrt{3}$. The volume of the minimal tetrahedron is

$$V = l^3 \frac{\sqrt{2}}{12} \cong 905.42 \ cm^3$$

The volume of a single sphere is $V_{sphere} = \frac{4\pi R^3}{3} = \frac{\pi d^3}{6} = \frac{\pi}{6}$, and so, the volume of the pyramid made of 1330 spheres is

$$V_p = 665 \frac{\pi}{3} \cong 696.39 \ cm^3,$$

representing a fraction of about 77% out of the volume of the tetrahedron.

[The text of the article]

Part a)

In the first part, we found a rule of how is the figure made.

In the first layer, seen from the top, we see a single cube.

In the second layer we see (1+2=3) cubes.

In the third layer we see (1+2+3=6) cubes

And so on...

So we find a rule of the number of the cubes that are in a layer.

This equation is (with *k* the number of the layer and *n* the number of cubes in that layer):

$$n = 1 + 2 + 3 + \dots + k$$
$$n = \frac{(1+k) \cdot k}{2}$$

So, using that equation, we found that the total number of cubes that are needed to make a tower of height 30 is:



$$n = \frac{1}{2} [(1^2 + 2^2 + 3^2 + \dots + 30^2) + (1 + 2 + 3 + \dots + 30)]$$
$$n = \frac{1}{2} [(1^2 + 2^2 + 3^2 + \dots + 30^2) + \frac{30 \cdot 31}{2}]$$
But, $1^2 + 2^2 + 3^2 + \dots + n^2 = \frac{n(n+1)(2n+1)}{6}$.

So, the final number of cubes for a pyramid of height 30 is:

$$n = \frac{1}{2} \cdot \left[\frac{30 \cdot 31 \cdot 61}{6} + \frac{30 \cdot 31}{2}\right] = \frac{1}{2} \cdot (9455 + 465)$$

$$n = 4960$$

Part b)

Let's say C_n is the number of cubes in a pyramid of height n.

If n=1, then $C_n=1$ If n=2, then $C_2=4$ If n=3, then $C_3=10$ If n=4, then $C_4=20$ If n=5, then $C_5=35$ If n=6, then $C_6=56$

So, we found a rule for the number of cubes used to build a pyramid of height h.

$$n = \frac{1}{2} \left[\frac{h(h+1)(2h+1)}{6} + \frac{h(h+1)}{2} \right] = \frac{h(h+1)(h+2)}{6}$$

But, *n* cubes should be put in a square, so *n* should be a perfect square.

We observed that this is the formula of the tetrahedral numbers. So n should be a tetrahedral number.

A *tetrahedral number* is a figurate number that represents a pyramid with a triangular base and three sides.

But the only tetrahedral numbers that are making square numbers are 1,4 and 48.

If the height is 1, the *n* is 1 and *l* is 1, where *l* is the side of the square covered by that *n* cubes.

If the height is 2, the *n* is 4 and *l* is 2.

MATh.en.JEANS 2016-2017 [National College "Costache Negruzzi", Iasi]

If the height is 48, the *n* is 19600 and *l* is 140.

But *n* must be equal or bigger than 3, so *n* can take the values 4 or 48.

Part c)

Using the rule that we found at a):

$$1330 = \frac{1}{2} [(1^2 + 2^2 + 3^2 + \dots + n^2) + (1 + 2 + 3 + \dots + n)]$$
$$1330 = \frac{1}{2} \left[\frac{n(n+1)(2n+1)}{6} + \frac{n(n+1)}{2} \right]$$

Where h is the height required.

$$2660 = \frac{n(n+1)(2n+1)}{6} + \frac{n(n+1)}{2}$$
$$2660 = \frac{n(n+1)(2n+1) + 3n(n+1)}{6}$$
$$2660 = \frac{n(n+1)(2n+1+3)}{6} = \frac{n(n+1)(n+2)}{3}$$
$$n(n+1)(n+2) = 7980$$

So, by giving values we found that the height of the pyramid is 19.

The second possibility is the following one: (3)



Using the rule that we found at part a), we discovered that the required pyramid has 19 layers. Indeed, by solving in N the equation

$$\frac{1}{6}n(n+1)(n+2) = 1330,$$

We find that n = 19.

As discussed before, the number of balls on the bottom layer is $\frac{n(n+1)}{2}$. Solving in **N** the equation

$$\frac{n(n+1)}{2} = 190,$$

We obtain n = 19. Therefore, the base length of a pyramid having 190 balls is 19.

The height of the pyramid formed by stacking spheres is a function of n and d (the diameter of each sphere). We need to find the height of the pyramid in terms of n and d.



In general, the total height of a pyramid with n levels is

$$d + (n-1)d\sqrt{\frac{2}{3}}$$

For n = 19 and d = 1 cm, we get that the height of a pyramid made of 1330 similar balls is

$$h \cong 15.7 \ cm$$
.

Part d)

What is the volume of the minimal tetrahedron in which the pyramid found at point c) can be inscribed? What fraction of the space does the ball pyramid occupies inside the tetrahedron?



In general, the base of the n level pyramid can be inscribed in an equilateral triangle with a side length of

$$d(n-1) + d\sqrt{3}.$$

For n = 19 and d = 1cm, we obtain that the side length of a regular pyramid is $l = 18 + \sqrt{3}$. The volume of the minimal tetrahedron is

$$V = l^3 \frac{\sqrt{2}}{12} \cong 905.42 \ cm^3$$

The volume of a single sphere is $V_{sphere} = \frac{4\pi R^3}{3} = \frac{\pi d^3}{6} = \frac{\pi}{6}$, and so, the volume of the pyramid made of 1330 spheres is

$$V_p = 665 \frac{\pi}{3} \cong 696.39 \ cm^3$$
,

representing a fraction of about 77% out of the volume of the tetrahedron.

Conclusions

In conclusion, we proved in the part a) that there were needed 4960 cubes to make a pyramid of height 30.

We also proved in part b) that if we make a pyramid of height 4 or 48, we can rearrange the cubes so they can make a square.

In c) we proved that we need 19 levels to have 1330 spheres in a pyramid, then we calculated the height of a pyramid as the one above: for n = 19 and d = 1cm, we get that the height of a pyramid made of 1330 similar balls is

$$h \cong 15.7 \ cm$$
.

At the end, we proved that for n = 19 and d = 1cm, we obtain that the side length of a regular pyramid is $l = 18 + \sqrt{3}$. The volume of the minimal tetrahedron is

$$V = l^3 \frac{\sqrt{2}}{12} \cong 905.42 \ cm^3$$

The volume of a single sphere is $V_{sphere} = \frac{4\pi R^3}{3} = \frac{\pi d^3}{6} = \frac{\pi}{6}$, and so, the volume of the pyramid made of 1330 spheres is

$$V_p = 665 \frac{\pi}{3} \cong 696.39 \ cm^3$$
,

representing a fraction of about 77% out of the volume of the tetrahedron.

References

Wikipedia, https://en.wikipedia.org/wiki/Tetrahedral_number
Google images, https://images.google.com/
Mathworld, http://mathworld.wolfram.com/TetrahedralNumber.html

Notes of edition:

(1) This, by definition or property of it, corresponds to the number of ways of picking 3 unordered outcomes from n+2 possibilities. The interested reader could search how this relates to the pyramid construction and if so, that would be really interesting and would make the result stronger.

(2) h is the k of the part 1.

(3) The committee of edition regrets the absence of justification that the two modelling are equivalents.